

Ship Tues 17/06

Work Order ID 120933

120933

Page 1

June-16-14 9:18:32 AM

Item ID: D5076-041 Accept *N9000040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Fwd Bracket Assembly
 Start Date: 6/16/14 Start Qty: 2.00 *2* Cust Item ID:
 Required Date: 6/16/14 Req'd Qty: 2.00 *2* Customer:
 Reference:

Approvals: Process Plan: W Date: _____ Tooling: _____ Date: _____ Run Start *NR1*
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D5076	A

100		0.00							
100									
Small Fab	Memo	0.00							
Small Fab	1- Assemble as per dwg								
	TORQUE SCREW AS PER DWG, SEE NOTE 8, SHEET 1								

110	QC5- Inspect part completeness to step on W/O	0.00							
110									
QC	Memo	0.00							
Quality Control									

120		0.00							
120									
Packaging	Memo	0.00							
Packaging									

DAS
27
3-89
14/6/16

DAS
32
9-89

SHIP

2 14-06-16
 2
 2 14/6/16

Work Order ID 120933

120933


Page 2


June-16-14 9:18:32 AM

Item ID: D5076-041 Accept *N900040100* Setup Start *NS1*
Revision ID: Stop *NS2*
Item Name: Fwd Bracket Assembly
Start Date: 6/16/14 Start Qty: 2.00 *2* Cust Item ID:
Required Date: 6/16/14 Req'd Qty: 2.00 *2* Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start *NR1*
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	QC21- Final Inspection - Work Order Release	0.00							
130									
QC	Memo	0.00							
Quality Control									

14/6/17 

 4-6-16

Picklist Print

June-16-14 9:18:32 AM

Page 1

Work Order ID: 120933

120933

Parent Item: D5076-041

D5076-041

Parent Item Name: Fwd Bracket Assembly

Start Date: 6/16/14

Required Date: 6/16/14

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP REV:A 14.04.02 PER DWG REV.A DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

AN525-832R7

Purchased

No

Each

126.0000

8

AN525-832R7

Screw

**

FF 14-06-16

Location

Loc Qty

Loc Code

GA

9

120560

9

ST344

117

m127363

117

8

D4434-045

Manufactured

No

Each

3.0000

2

D4434-045

Fwd Outboard Bracket Assembly

**

FF 14-06-16

Location

Loc Qty

Loc Code

ST372

3

115483

3

2

D5076-043

Manufactured

No

Each

2.0000

2

D5076-043

Fwd Inboard Bracket Assembly

**

FF 14-06-16

Location

Loc Qty

Loc Code

GA


2

115484

2

2

ITEM	QTY. -041	PART NUMBER	DESCRIPTION
1	X	D5076-041	FWD BRACKET ASSEMBLY
2	1	D4434-045	FWD OUTBOARD BRACKET ASSEMBLY
3	1	D5076-043	FWD INBOARD BRACKET ASSEMBLY
4	4	AN525-832R7	SCREW



D5076-041 FWD BRACKET ASSEMBLY

u10120933

RELEASED
2014-03-31
WJ



NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 1.39 lbs
- 8) TORQUE SCREW TO 12-15 (in-lb)

A	NEW ISSUE	RF	14.03.11
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	DC	DRAWING NO.	REV. A
MFG. APPR.	DD	D5076	SHEET 1 OF 7
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	BRACKET ASSEMBLY	NTS
DATE	14.03.11	<small>COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

APPROVED

ITEM	QTY. -043	PART NUMBER	DESCRIPTION
1	X	D5076-043	FWD INBOARD BRACKET ASSEMBLY
2	1	D4434-9	BRACKET
3	1	D4435-041	BRACKET ASSEMBLY
4	1	D4440-1	GROMMET
5	1	D4441-1-017	RUBBER SEAL
6	1	D4441-1-025	RUBBER SEAL
7	2	D4441-1-026	RUBBER SEAL
8	1	D4441-1-067	RUBBER SEAL
9	1	D4441-1-064	RUBBER SEAL
10	1	D4441-1-094	RUBBER SEAL
11	1	D5076-1	BRACKET
12	1	D5076-3	BRACKET
13	3	AN525-832R6	SCREW
14	14	MS20426AD3-3	RIVET
15	15	MS20470AD4-3	RIVET
16	7	MS21075L08	NUT PLATE
17	A/R	3M 1300/1300L	ADHESIVE



D5076-043 FWD INBOARD BRACKET ASSEMBLY



NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT "BLACK SANDEX" (4.3.5.7) PER DART QSI 005 4.3 PRIOR TO INSTALLING D4435-041.
MASK NUT PLATE HOLES
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 1.01 lbs
- 8) INSTALL RUBBER SEAL TO EDGE OF PART AFTER POWDER COAT USING 3M 1300/1300L ADHESIVE
ENSURE COVER IS COMPLETELY INSERTED INTO GROOVE OF RUBBER SEAL
IT IS ACCEPTABLE TO NOTCH THE SEAL AS REQUIRED TO PREVENT IT FROM BUCKLING
- 9) TORQUE SCREW TO 12-15 (in-lb)

RELEASED
2014-03-31

APPROVED

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	DC	DRAWING NO.	REV. A
MFG. APPR.	DD	D5076	SHEET 2 OF 7
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	BRACKET ASSEMBLY	NTS
DATE	14.03.11	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



SECTION A-A C4-3

D5076-043 FWD INBOARD BRACKET ASSEMBLY
AUXILIARY VIEW


NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.78 lbs
- 8) TRANSFER $\phi 0.129$ HOLES THRU 5 PLACES FROM D4434-9 TO D5076-1
- 9) TRANSFER $\phi 0.098$ HOLES THRU 2 PLACES FROM D4434-9 TO D5076-1
- 10) TRANSFER $\phi 0.129$ HOLES THRU 10 PLACES FROM D5076-3 TO D5076-1
- 11) CSK $\phi 0.179 \times 100^\circ$ ON THIS SIDE 2 PLACES
- 12) TRANSFER $\phi 0.177$ HOLE THRU FROM D4434-9 TO D5076-1
- 13) CENTRE D5076-3 INTO OPENING OF D5076-1

RELEASED
2014-03-31

APPROVED

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	DC	DRAWING NO.	REV. A
MFG. APPR.	DD	D5076	SHEET 3 OF 7
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	BRACKET ASSEMBLY	NTS
DATE	14.03.11	<small> COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD </small>	





D5076-1 BRACKET

RELEASED
2014-03-31

- NOTES:
- 1) MATERIAL: MAKE FROM D5076-1F FLAT PATTERN
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 0.47 lbs

APPROVED	DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
	DRAWN	RF		
	CHECKED	DC	DRAWING NO.	REV. A
	MFG. APPR.	DD	D5076	SHEET 4 OF 7
	APPROVED	HS	TITLE	SCALE
	DE APPR.	DS	BRACKET ASSEMBLY	NTS
	DATE	14.03.11	<small>COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



D5076-1F FLAT PATTERN BRACKET




NOTES:

- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET 0.040 THICK
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027
OR ASTM B209
REF DART SPEC. M6061T6S.040
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.47 lbs

APPROVED

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	DC	DRAWING NO.	REV. A
MFG. APPR.	DD	D5076	SHEET 5 OF 7
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	BRACKET ASSEMBLY	NTS
DATE	14.03.11	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

RELEASED
2014-03-31



D5076-3 BRACKET

RELEASED
2014-03-31

NOTES:

- 1) MATERIAL: MAKE FROM D5076-3F FLAT PATTERN
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.21 lbs

APPROVED

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	DC	DRAWING NO.	REV. A
MFG. APPR.	DD	D5076	SHEET 6 OF 7
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	BRACKET ASSEMBLY	NTS
DATE	14.03.11	<small>COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

